

**Supplementary material 1** for the article by Andrey N. Reshetnikov et al. “Rarely naturalized, but widespread and even invasive: the paradox of a popular pet terrapin expansion in Eurasia”.

Journal: NeoBiota.

Corresponding author: Andrey N. Reshetnikov

e-mail: anreshetnikov@yandex.ru

### List of literature sources with records of red-eared slider in Eurasia

- Abduraupov TV, Agzamov FA (2000) Record of red-eared slider *Trachemys scripta elegans* in a channel in Tashkent. Zoological science of Uzbekistan: contemporary issues and perspectives of development. Collection of papers of republic's science-practical conference.:215–217
- Adamopoulou C, Legakis A (2016) First account on the occurrence of selected invasive alien vertebrates in Greece. BioInvasions Rec 5:189–196. <https://doi.org/10.3391/bir.2016.5.4.01>
- Brejcha J, Miller V, Jeřábková L, Šandera M (2009) Výskyt *Trachemys scripta* na území ČR. Herpet inform 8:14–28
- Brejcha J, Miller V, Jeřábková L, Šandera M (2010) Zaznamenávání výskytu želvy nádherné (*Trachemys scripta*) na území ČR v roce 2010. Herpet inform 9:18–24
- Bringsoe H (2006) *Trachemys scripta*. <https://www.nobanis.org/species-info/?taxaId=713>. Accessed 7 August, 2021
- Cadi A, Joly P (2004) Impact of the introduction of the red-eared slider (*Trachemys scripta elegans*) on survival rates of the European pond turtle (*Emys orbicularis*). Biodivers Conserv 13:2511–2518. <https://doi.org/10.1023/B:BIOC.0000048451.07820.9c>
- Cadi A, Delmas V, Prévôt-Julliard A-C, Joly P, Pieau C, Girondot M (2004) Successful reproduction of the introduced slider turtle (*Trachemys scripta elegans*) in the South of France. Aquatic Conserv 14:237–246. <https://doi.org/10.1002/aqc.607>
- Chaudhuri A, Banerjee A, Chowdhury S, Deuti K (2018) Report of redeared slider turtle (*Trachemys scripta elegans*) from a wetland near Kolkata, West Bengal, India. Herpet Bulletin 146:41–42
- Chen TH (2006) Distribution and status of the introduced red-eared slider (*Trachemys scripta elegans*) in Taiwan. In: Koike F, Clout MN, Kawamichi M, Poorter M de, Iwatsuki K (eds) Assessment and Control of Biological Invasion Risks. IUCN, Gland, Switzerland, pp 187–195
- Chen TH, Lue KY (1998) Ecological notes on feral populations of *Trachemys scripta elegans* in northern Taiwan. Chelonian Conserv Biol 3:87–90
- Çiçek K, Ayaz D (2015) Does the red-eared slider (*Trachemys scripta elegans*) breed in Turkey? Hyla:4–10
- Crescente A, Sperone E, Paolillo G, Bernabò I, Brunelli E, Tripepi S (2014) Nesting ecology of the exotic *Trachemys scripta elegans* in an area of Southern Italy (Angitola Lake, Calabria). Amphib Reptilia 35:366–370. <https://doi.org/10.1163/15685381-00002955>
- Da Silva E, Blasco M (1995) *Trachemys scripta elegans* in southwestern Spain. Herpetological Rev 26:133–134
- Diesmos AC, Brown RM, Alcala AC, Sison RV (2008) Status and Distribution of Nonmarine Turtles of the Philippines. Chelonian Conserv Biol 7:157–177. <https://doi.org/10.2744/CCB-0672.1>
- Dimancea N (2013) Note upon the presence of *Trachemys scripta elegans* (Reptilia) in Oradea city, western Romania. Herpetol Romanica 7:41–47
- Dorđević S, Anđelković M (2015) Possible reproduction of the red-eared slider, *Trachemys scripta elegans* (Reptilia: Testudines: Emydidae), in Serbia, under natural conditions. Hyla:44–49

- Dudek R, Kolanek A (2014) Obserwacje żółwi ozdobnych w zbiornikach wodnych Wrocławia. In: Borczyk B (ed) Studenckie Prace Herpetologiczne, Wrocław, pp 60–69
- Fan LQ, Tu YL, Li JC, Yin JX, Xie YY (2016) The Red-eared Slider (*Trachemys scripta elegans*) Found at Lhalu Wetland National Nature Reserve, Tibet, China. Chinese J Zool 51:1100. <https://doi.org/10.13859/j.cjz.201606025>
- Ficetola GF, Monti A, Padoa-Schioppa E (2003) First record of reproduction of *Trachemys scripta* in the Po Delta. Annali del Museo Civico di Storia Naturale di Ferrara 5:125–128
- Ge Y, Wang HJ, Pan DS, Xiao SJ, Gong SP (2012) Survey of Amphibians and Reptiles in Baiyun Mountain Scenic Area of Guangzhou. Sichuan J Zool 31:147–151
- Ge Y, Wei YF, Check SN, Gong SP (2018) Diversity and Conservation of Amphibians and Reptiles in Macau, China. Chinese J Wildlife 39:639–645
- Gong S, Yang J, Ge Y, Gaillard D (2018) Extent and Mechanisms of the Increasing Geographic Distribution of the Alien Red-Eared Slider (*Trachemys scripta elegans*) in China. Chinese J Wildlife 39:373–378
- Hasegawa I (2012) Distribution of native and alien freshwater turtles in the Kugushi lake of Fukui Prefecture. Kiraku:1–8
- Heidy Kikillus K, Hare KM, Hartley S (2010) Minimizing false-negatives when predicting the potential distribution of an invasive species: a bioclimatic envelope for the red-eared slider at global and regional scales. Animal Conserv 13:5–15. <https://doi.org/10.1111/j.1469-1795.2008.00299.x>
- Herder J (2007) Eerste eilegsels van roodwangsschildpadden in Nederland. RAVON 9:23–24
- Ilyukh MP (2014) Red-eared terrapin *Trachemys scripta* is a new species of herpetofauna of Stavropol Territory. Russ Sci Innov Tech:122–126
- Jadhav TD, Sawant NS, Shyama SK (2018) First report on presence and status of introduced invasive species Red-eared Slider, *Trachemys scripta elegans* in Goa, India. NeBIO 9:177–179
- Kagayama S (2019) Spatial distribution of the freshwater turtles in the Yorogawa River Basin, in Chiba Prefecture. Bulletin of the Herpetological Society of Japan:41–49
- Kamezaki N, Fujibayashi N, Kawata M (2017) Species composition and distribution of freshwater turtles in Okayama. Kiraku:2–8
- Kato H, Odagiri Y, Hattori T, Honda A (2014) The current distribution and status of the Red-eared turtle, *Trachemys scripta elegans* (Testudines, Emydidae) as invasive species in Asabata area, Shizuoka, Japan. Natural History of Tokai District 7:21–24
- Khoury F, Amr Z, Hamidan N, Al Hassani I, Mir S, Eid E, Bolad N (2012) Some introduced vertebrate species to the Hashemite Kingdom of Jordan. Vert Zool 62:435–451
- Koo KS, Sung H-C (2019) Analysis on the Important Environmental Factors for Reproduction of *Trachemys scripta elegans* in Jeju Island, South Korea. Korean J. Ecol Environment 52:378–384. <https://doi.org/10.11614/KSL.2019.52.4.378>
- Kopka M (2003) Żółw czerwonolicy (*Chrysemys scripta elegans*) w zbiornikach wodnych Wrocławia:117–121
- Koren T, Štih A, Burić I, Koller K, Lauš B, Zadravec M (2018) The current distribution of pond slider *Trachemys scripta* (Reptilia: Emydidae) in Croatia. Nat Sloveniae 20:33–44
- Kornilev Y, Lukanov S, Pulev A, Slavchev M, Vacheva E, Vergilov V, Mladenov V, Georgieva R, Popgeorgiev G (2020) The Alien Pond Slider *Trachemys scripta* (Thunberg in Schoepff, 1792) in Bulgaria: Future Prospects for an Established and Reproducing Invasive Species. Acta Zool Bulg 72:571–581

- Kosuge Y, Ogano D, Hasegawa M (2003) Spatial distribution of the freshwater turtles along Koito River, Boso peninsula. Journal of the Natural History Museum and Institute, Chiba Special Issue 6:55–58
- Kukushkin OV, Doronina MA, Doronin IV, Tuniyev BS, Ananjeva NB (2017) Introduction of amphibians and reptiles at the Caucasus and in the Crimea: review and some facts. Curr Stud Herpetol 17:157–197. <https://doi.org/10.18500/1814-6090-2017-17-3-4-157-197>
- Kulieva TD, Mollaeva AB (2017) Assessment of physiological condition of exotic species, red-eared slider (*Trachemys scripta elegans*) by mathematic methods.:1–27
- Kurtyak FF, Kurtyak MF (2013) Red-eared slider *Trachemys scripta elegans* (Wied 1839) (Reptilia; Testudines), as invasive treat in Transcarpathian. Scientific bulletin of Uzhgorod university. Biological series.:58–62
- Kusuda S, Sugiura T (2016) Red-eared sliders (*Trachemys scripta elegans*) found in marine and brackish-water areas in Hekinan City, Aichi. Kiraku:4–6
- Le Trung Dzung, Nguyen Lan Hung Son, Bui Thu Ha, Nguyen Quang Truong (2020) Invasive Species in Hai Duong Province. Science and Technology Publishing House, Hanoi, Vietnam
- Lever C (2003) Naturalized Reptiles and Amphibians of the World. Oxford biology. Oxford University Press, Oxford
- Li C (2013) The field research of reproduction of *Trachemys scripta elegans* in Wanquan River, Hainan Province, China. Master's thesis
- Li H, Wang T, Hu Z, Rao J, Shi H, Wang J (2020) Sexual Dimorphism in Bite Force of *Trachemys scripta elegans*. Sichuan J Zool 39:183–188
- Liu D, Shi HT, Liu YX, Wang JC, Gong SP, Wang J, Shen L (2011) A survey on the current distribution of red -eared slider (*Trachemys scripta elegans*) in China. Bulletin of Biology 46:18–21
- Lü JC, Zhang HB, Yuan G, Long HW, Guo X, Yu ZG (2017) Diversity and fauna of amphibians and reptiles in Aha National Wetland Park. Guizhou Sci 35:14–18
- Ma K (2013) The activity rhythm and active area of the exotic Red-Eared Slider (*Trachemys scripta elegans*) in Wanquan River, Hainan province. Master's thesis
- Martins BH, Fábia Azevedo F, Teixeira J (2018) First reproduction report of *Trachemys scripta* in Portugal Ria Formosa Natural Park, Algarve. Limnetica 37:61–67. <https://doi.org/10.23818/limn.37.06>
- Maslova IV, Akulenko MF, Zhestokov AY (2016) About herpetofauna of Vladivostok town (Primorie territory, Russia). Principles Ecol 5:89
- Matsuo T (2005) Amphibian and Reptiles in Nagasaki Prefecture, Chapter 2, Reptiles, Nagasaki, Japan
- Mazgajska J (2010) Płazy i gady. In: Luniak M (ed) Przyroda Bielan warszawskich, Warszawa, Poland, pp 166–171
- Merzlikin IR Finds of the Red-eared slider *Trachemys scripta elegans* (Reptilia, Testudines) in the natural biotopes of Ukraine:118
- Mozaffari O (2020) *Trachemys scripta elegans* (Testudines: Emydidae) threatens a wetland of international significance in Iran. Herpetol Bull 152:21–23. <https://doi.org/10.33256/152.2123>
- Nagahara M (2011) Decline of lotus and extermination of red eared slider turtle in Saga castle. Kiraku:1–3
- Najbar B (2001) Żółw czerwonolicy *Trachemys scripta elegans* (Wied 1983) w województwie lubuskim (zachodnia Polska). Przegląd Zoologiczny 45:103–109
- Nakajima M, Nakata K., Murakami O. (2000) Distribution and age structure of the Japanese pond turtle and Reeves' pond turtle in a Satoyama farm woodland area in Kyotanabe city, Kyoto prefecture. Bulletin of Kansai Organization for Nature Conservation 22:91–103
- Nekrasova OD, Kolosh TV, Bolotov MB (2013) Significance of protection of Odessa wetland ecosystems of Prichernomorie on example of herpetological complexes:234–235

- Noda H (2014) Changes in population structure of the freshwater turtles in 10 years at Kahokugata Lake, Ishikawa prefecture. *Kahokugara Lake Sci* 17:1–6
- Okada Y, Yabe T, Yamada T, Kobayashi H, Maezawa K, Oda S (2005) Distribution of freshwater turtles in western Mikawa area. *Report of Yahagi River Institute* 9:5–17
- Olejniczzak I, Gorski P, Bonieski P, Romanowski J (2016) Płazy i gady Parku Skaryszewskiego w Warszawie. In: Romanowski J (ed) *Park Skaryszewski w Warszawie – przyroda i użytkowanie*. Wydawnictwo UKSW, Warszawa, Poland, pp 195–205
- Pakhnevich AV (2017) New data on a turtle *Trachemys scripta* (Schoepff, 1972) invasion in Moscow:84
- Perez-Santigosa N, Díaz-Paniagua C, Hidalgo-Vila J (2008) The reproductive ecology of exotic *Trachemys scripta elegans* in an invaded area of southern Europe. *Aquatic Conserv* 18:1302–1310. <https://doi.org/10.1002/aqc.974>
- Pieh A, Laufer H (2006) Die Rotwangen-Schmuckschildkröte (*Trachemys scripta elegans*) in Baden-Württemberg – mit Hinweis auf eine Reproduktion im Freiland. *Zeitschrift für Feldherpetologie* 13:225–234
- Prévet-Julliard AC, Gousset E, Archinard C, Cadi A, Girondot M (2007) Pets and invasion risks: is the Slider turtle strictly carnivorous? *Amphib Reptilia* 28:139–143. <https://doi.org/10.1163/156853807779799036>
- Pupins M (2007) First report on recording of the invasive species *Trachemys scripta elegans*, a potential competitor of *Emys orbicularis* in Latvia. *Acta Universitatis Latviensis. Biology.* 273:37–46
- Pupins M, Pupina A (2011) First records of 5 allochthonous species and subspecies of Turtles (*Trachemys scripta troostii*, *Mauremys caspica*, *Mauremys rivulata*, *Pelodiscus sinensis*, *Testudo horsfieldii*) and new records of subspecies *Trachemys scripta elegans* in Latvia. *Manag Biol Invas* 2:91–103
- Ramsay NF, Ng PKA, O’Riordan RM, Chou LM (2007) The red-eared slider (*Trachemys scripta elegans*) in Asia: a review. In: Gherardi F (ed) *Biological invaders in inland waters: Profiles, distribution, and threats*, vol 2. Springer Netherlands, Dordrecht, pp 161–174
- Rautenberg T, Schlüpmann M (2018) Eiablage und Gelege einer Gelbwangen-Schmuckschildkröte (*Trachemys scripta scripta*) in Essen/Ruhr (Nordrhein-Westfalen). *Rana* 19:136–144
- Reshetnikov AN, Sokolov SG (2020) Detecting an Alien Reptile through Parasitological Analysis of the Widely Distributed Alien Fish *Percottus glenii*. *Russ J Biol Invasions* 11:399–404. <https://doi.org/10.1134/S2075111720040128>
- Salerno AP, van den Burg MP (2021) Predation of a live duckling (*Anas platyrhynchos*) by *Trachemys scripta*: concerns for native avifauna in the non-native range of this widely established turtle? *Herpetol Notes* 14:45–48
- Sarı C, Bidav Y (2017) Munzur vadisi milli parkı’nda doğal ve kültürel çevrenin geliştirilmesi ve korunması üzerine yöre halkın farkındalığı. *Doğu Coğrafya Dergisi Yıl* 22:63–86
- Schradin C (2020) Successful reproduction of *Trachemys scripta* in the Altrhein of Kehl (Germany) and simultaneous increase of estimated population size. *Herpet Bulletin* 154:1–7
- Standfuss B, Lipovšek G, Fritz U, Vamberger M (2016) Threat or fiction: is the pond slider (*Trachemys scripta*) really invasive in Central Europe? A case study from Slovenia. *Conserv Genet* 17:557–563. <https://doi.org/10.1007/s10592-015-0805-2>
- Stoyanov A (2015) Registered high mortality of allochthon red-eared sliders (*Trachemys scripta elegans*) in an artificial pond in Sofia, Bulgaria. *Hyla*:65–69
- Takehara K (1996) Ecology of the pond turtles in Suzuka and Kameyama, Mie precture. *Mie Natural History* 3:17–21
- Taniguchi M, Kamezaki N (2010) Freshwater turtles living in the Funabashi River, Osaka. *Bulletin of the Herpetological Society of Japan* 2:105–110

- Taniguchi M, Kamezaki N (2011) Red eared slider turtle (*Trachemys scripta elegans*) and Chinese Pond Turtle (*Chinemys reevesii*) caught in Okinawa island, Nago. Kiraku:9
- Taniguchi M, Ueno S, Mine K., Kamezaki N (2015) Distribution and density of freshwater turtles in Western Japan. Bulletin of the Herpetological Society of Japan 2:144–157
- Taniguchi M, Lovich J, Mine K, Ueno S, Kamezaki N (2017) Unusual population attributes of invasive red-eared slider turtles (*Trachemys scripta elegans*) in Japan: do they have a performance advantage? Aquat Invasions 12:97–108. <https://doi.org/10.3391/ai.2017.12.1.10>
- Taşkavak E, Balathi R, Filiz H (2019) Is the Gediz River Basin Suitable for Breeding and Populating of the Red Eared Slider, *Trachemys scripta elegans*? Special emphasis to some Observations on the Overwintering Hatchlings of Terrapins at Western Turkey:206–213
- Tokumoto T (2000) Distribution of the freshwater turtles in Yamaguchi prefecture. Yamaguchi natural history 60:7–14
- Tomochika S, Nagata K, Takeda K, Yoshimura M., Kamezaki N (2015) Freshwater turtles in Shirakabe ,Okayama. Kiraku:8–9
- Tourenq C, Shuriqi MK Snapshot on introduced invasives in a desertic country, the United Arab Emirates 30:49–51
- Tzankov N, Popgeorgiev G, Kornilev Y, Natchev N, Stoyanov A, Naumov B, Ivanchev I (2015) First survey on the invasive Pond slider (*Trachemys scripta*) in Bulgaria: historic development and current situation. Hyla:18–27
- Tzankov N, Stojanov A, Dobrev D, Lukanov S, Kornilev Y, Andonov K, Vergilov V, Popgeorgiev G (2017) *Trachemys scripta* (Thunberg in Schoepff, 1792). In: Trichkova T, Vladimirov V, Tomov R, Todorov M (eds) Guide to Invasive Alien Species of European Union Concern. IBER-BAS, ESENIAS, Sofia, Bulgaria, pp 110–113
- Tzoras E, Chiras G, Lozano A, Maluquer-Margalef J (2018) On a reproductive population of *Trachemys scripta* (Schoepff, 1792) at Kaiafa Lake in Western Peloponnese, Greece. Butll Soc Catalana Herpetologia 26:28–32
- Urošević A (2014) Report of two subspecies of an alien turtle, *Trachemys scripta scripta* and *Trachemys scripta elegans* (Testudines: Emydidae) sharing the same habitat on the island of Zakynthos, Greece. Ecol Montenegrina 1:268–270
- Urošević A, Popović M, Maričić M, Pomorišac G, Petrović D, Grabovac D, Surla A, Medenica I, Avramović S, Golubović A (2019) New data on the spread of *Trachemys scripta* (Thunberg in Schoepff, 1792) (Testudines: Emydidae) and its subspecies in Serbia. Acta Zool Bulg 71:247–251
- Uysal İ, Tosunoğlu M, Özدilek ŞY, Çiğdem GÜL (2018) A Record and Distribution of Exotic Species *Trachemys scripta* in the Streams Of Çanakkale (Turkey). Turk J Biosci Collect 2:11–18
- Vamberger M, Lipovšek G, Gregorič M (2012) First reproduction record of *Trachemys scripta* (Schoepff, 1792), in Slovenia. Herpetozoa 25:76–79
- Vyas R (2019) Distribution of invasive Red-eared Sliders, *Trachemys scripta* (Testudines: Emydidae) in the wetlands of Gujarat State, India. Reptiles and Amphibians 26:145–150. <https://doi.org/10.17161/randa.v26i2.14389>
- Wang C, Huang N, Hu Y, Zhou H, Li K, Zhou W (2016) Studies on the Species of Amphibians and Reptiles in Wuding and Mouding of Yuannan. J Southwest Forest Univ 36:126–131
- Wang LJ, Hong ML, Yuan X, Pei EL, Liu ZS, Wang ZH (2011) Survey on the Diversity of Amphibians and Reptiles in the Main Parks in the Urban District of Shanghai. Sichuan J Zool 30:69–73
- Wilczek A, Grochowska M, Romanowski J (2018) Występowa nie żółwia ozdobnego *Trachemys scripta* w Warszawie. Przegląd Przyrodniczy XXIX:131–135

- Xiao F, Bu R, Lin L, Mueti J, Wang J, Ye Z, Shi H (2021) A Survey of Freshwater Turtles in Diaoluoshan Nature Reserve with Conservation Implications for the Endangered Big-Headed Turtle. *Chelonian Conserv Biol* 20:139–143. <https://doi.org/10.2744/CCB-1430.1>
- Yabe T (1996) Distribution of the turtles at Tado-cho in Mie prefecture. *Mie Natural History* 3:23–29
- Yabe T (2014) Distribution of the freshwater turtles in Gifu Prefecture. In: Kusuda S (ed) *Conservation of freshwater life in Gifu*. Gifu University, Gifu, Japan, pp 35–36
- Yamada Y, Kamikihara Y., Serizawa S (2008) Distribution of native and alien freshwater turtles in the central parts of Aichi Prefecture. *Science Report Toyohashi Museum of Natural History* 18:35–45
- Yamamoto A, Kamezaki N (2011) A case of *Trachemys scripta elegans* emerged from the sea. *Kiraku*:7
- Yang J (2014) Study on ecological Adaptability of Red-Eared Slider (*Trachemys scripta elegans*) in Nandujiang Brackish Water Area of Hainan Province. Master's thesis
- Yang J, Ge Y, Wei Y, Duan H, Gong S (2018) Diversity and conservation of amphibians and reptiles in Guangdong Nanxiong Xiaoliukeng-Qingzhangshan Provincial Nature Reserve, Guangdong, China. *Ecol. Sci.* 37:35–42
- Yang H, Xu J, Liu K, Liu B (2020a) Diversity of Amphibians and Reptiles in Zhejiang Zhuji Baitahu National Wetland Park. *J Zhejiang Forest Sci Tech* 40:37–43
- Yang JB, Han WS, Li JH, Yang YP, He SC (2020b) Diversity of Amphibians and Reptiles in Ruyuan Nanshuihu National Wetland Park of Guangdong. *Forest Invent Plan* 45:41–46
- Yoshimura M (2014) The record of *Trachemys scripta elegans* in Yakushima Island. *Kiraku*:10
- Zagorodnyuk I (2012) Alien species of animals in synanthropic locations of Lugansk province. *Dynamics of biodiversity*:86–92
- Zhou P, Shi H, Hu S, Weng J, Gong S (2013) Home Range of *Trachemys scripta elegans* in Gutian Nature Reserve, Guangdong Province. *Sichuan J Zool* 32:664–669